

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3978	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:58
L4	4539	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:58
L5	768	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)with (lines or edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:58
L6	1098	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)with (line or edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:59
L7	96	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)with (line or edge or contour)with (artifact or distortion or defect or step or stair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:00
L8	88	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)with (artifact or distortion or defect or step or stair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:01
L9	7	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)with (artifact or distortion or defect or stair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:03
L10	1021	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:03

L11	189	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:25
L12	77	interpolat\$4 near2 oblique	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1078	anti\$alias\$4 with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 13:51
L4	75	anti\$alias\$4 with pixel with interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 13:51
S16 3	16	345/698,699.ccls. and (direct\$5 or angle or isotropic or anisotropic or oblique)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:32
S16 4	16	345/698,699.ccls. and (direct\$5 or angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:32
S16 5	16	345/698,699.ccls. and (direct\$5 or angle or isotropic or anisotropic or oblique)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:58
S16 6	16	345/698,699.ccls. and (direct\$5 or angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:00
S16 7	140	348/441-459.ccls. and (direct\$5 or angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:02
S16 8	195	348/441-459,578,580,581,597, 606,607,625.ccls. and (direct\$5 or angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:04
S16 9	30	348/441-459,578,580,581,597, 606,607,625.ccls. and ( angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:24

S17 0	19	382/300.ccls. and ( angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:43
S17 1	2	"5410616".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:35
S17 2	2	"5594676".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 11:36
S17 3	2	"5991463".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:21
S17 4	10	382/300.ccls. and rank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:18
S17 5	15	382/300.ccls. and rank\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:25
S17 6	31	382/300.ccls. and (rank\$4 or (median near2 filter\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:09
S17 7	355	(rank\$4 or (median near2 filter\$4))with interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:45
S17 8	69	(rank\$4 or (median near2 filter\$4))with interpolat\$4 with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:45

S17 9	15	(rank\$4 or (median near2 filter\$4))with interpolat\$4 with horizontal with vertical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:48
S18 0	8	(rank\$4 or (median near2 filter\$4))with interpolat\$4 with (expand\$4 or magnif\$7 or zoom or enlarg\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 12:49
S18 1	31	382/300.ccls. and (rank\$4 or ((median near2 filter\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:10
S18 2	16	382/300.ccls. and (rank\$4 or ((median near2 filter\$4))) and contrast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:10
S18 3	48	382/300.ccls. and oblique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:23
S18 4	27	382/300.ccls. and (oblique with interpolat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:42
S18 5	3	382/300.ccls. and (oblique with interpolat\$4)with correlat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:59
S18 6	1	382/300.ccls. and (oblique with interpolat\$4)with correlat\$4 and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:04
S18 7	0	382/300.ccls. and (oblique with interpolat\$4) with mask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:05

S18 8	6	382/300.ccls. and (oblique with interpolat\$4) and mask\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:30
S18 9	218	382/300.ccls. and smooth\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:31
S19 0	94	382/300.ccls. and smooth\$4 and contrast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:32
S19 1	7	382/300.ccls. and smooth\$4 and (contrast with maintain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:32
S19 2	3009	smooth\$4 and (contrast with maintain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:33
S19 3	28	(smooth\$4 with interpolat\$4) and (contrast with maintain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:36
S19 4	1	(smooth\$4 with interpolat\$4 with horizontal with vertical) and (contrast with maintain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:36
S19 5	12	(interpolat\$4 with horizontal with vertical) and (contrast with maintain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:23
S19 6	380	(interpolat\$4 with intersection with (edge or line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:59
S19 7	3	(interpolat\$4 with intersection with (edge or line))with (oblique or diagonal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:59

S19 8	1	"5390262".pn.	USPAT	OR	OFF	2005/05/10 11:24
S19 9	1	"4876612".pn.	USPAT	OR	OFF	2005/05/10 11:24
S20 0	3	345/606-617,660,670,671.ccls. and ( angle or isotropic or anisotropic or oblique or diagonal\$2)with interpolat\$4 with (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 12:51
S20 1	12	345/606-617,660,670,671.ccls. and ( angle or isotropic or anisotropic or oblique or diagonal\$2)same interpolat\$4 same (horizontal and vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:45
S20 2	1195	interpolat\$4 with (character or letter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:47
S20 3	23	interpolat\$4 with (character or letter)and stair\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:47
S20 4	23	interpolat\$4 with (character or letter)and stair\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 13:55
S20 5	82	interpolat\$4 with (character or letter)and (stair\$7 or jagg\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:11
S20 6	34	interpolat\$4 with (oblique or diagonal)and (character or letter)and (stair\$7 or jagg\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 14:11
S20 7	731367	contrast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:24
S20 8	17310	contrast with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:24

S209	3099	contrast with (high near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:24
S210	405	contrast with (high near2 frequency) and interpolat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:24
S211	347	contrast with (high near2 frequency) and interpolat\$4 and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:25
S212	43	contrast with (high near2 frequency) same interpolat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:27
S213	54	contrast with (high near2 frequency) with maintain\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:28
S214	9	contrast with (high near2 frequency) with maintain\$4 and interpolat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:30
S215	54	contrast with (high near2 frequency) with maintain\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:32
S216	3	contrast with (high near2 frequency) with maintain\$4 with constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:32
S217	2	contrast with (high near2 frequency) with maintain\$4 with coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:33
S218	70	contrast with (high near2 frequency) with (maintain\$4 or equaliz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 17:37



S21 9	28	contrast with (high near2 frequency) with (maintain\$4 or equaliz\$5) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:08
S22 0	73	contrast with (high near2 frequency) with (maintain\$4 or equaliz\$5 or level) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:15
S22 1	687	contrast with (high near2 frequency) with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:15
S22 2	24	contrast with (high near2 frequency) with image with (constant or factor or coefficient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:17
S22 3	7	contrast with (high near2 frequency) with image with masking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:18
S22 4	13	contrast with (high near2 frequency) with masking	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:21
S22 5	3132	345/617.ccls.contrast with (high near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:25
S22 6	1	345/617.ccls. and contrast with (high near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:25
S22 7	1	345/617.ccls. and contrast same (high near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:25
S22 8	4	345/617.ccls. and (high near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:31

S22 9	0	345/617.ccls. and maintain with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:32
S23 0	0	345/617.ccls. and maintain\$4 with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:32
S23 1	60118	maintain\$4 with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:32
S23 2	215	maintain\$4 with frequency with contrast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:32
S23 3	4	maintain\$4 with frequency with contrast and rank\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:33
S23 4	34	maintain\$4 with frequency with contrast and interpolat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:40
S23 5	215	maintain\$4 with frequency with contrast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:40
S23 6	50	maintain\$4 with frequency with contrast with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:48
S23 7	2542	frequency with contrast with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:48
S23 8	797	(high\$2 near2 frequenc\$3) with contrast with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:48

S23 9	43	(high\$2 near2 frequenc\$3) with contrast with image with (add\$4 or subtract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 18:49
S24 0	3978	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:58
S24 1	4539	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:58
S24 2	768	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)with (lines or edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:58
S24 3	1098	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)with (line or edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 06:59
S24 4	96	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or intercep\$4 or orthogonal\$2)with (line or edge or contour)with (artifact or distortion or defect or step or stair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:00
S24 5	88	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)with (artifact or distortion or defect or step or stair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:01
S24 6	7	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)with (artifact or distortion or defect or stair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:03

S24 7	1021	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:03
S24 8	189	interpolat\$4 with (intersect\$4 or cross\$4 or perpendicular or orthogonal\$2)with (line or edge or contour)with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:25
S24 9	77	interpolat\$4 near2 oblique	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/13 07:25